

Factor 5 (V) Assay

Order Name: FACTOR 5
Test Number: 1501050
Revision Date: 10/08/2024

TEST NAME			METHODOLOGY	LOINC CODE
Factor 5 (V) Assay			Clot Detection	3193-0
SPECIMEN REQUIRE	MENTS			
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	See Instructions	Plasma	Sodium Citrate 3.2% (Blue Top)	Frozen
Instructions	Please indicate anticoagulant therapy.  Collect Two 2.7mL Sodium Citrate 3.2% (Blue Top) tubes			
	Each 2.7mL Sodium Citrate 3.2% (Blue Top) tube must be filled to the proper level, no hemolysis. Improperly filled tubes can give erroneous results.  Whole blood must be transported to lab immediately.  If testing cannot be started within 4 hours of collection the specimen must be double spun then 1.5mL plasma aliquot from each tube into individual plastic aliquot tubes and freeze.  Do not pool aliquots together!			

GENERAL INFORMATION		
Testing Schedule	Tue and/or Thur - Day Shift	
Expected TAT	1-7 Days	
Stat TAT	M-F both shifts stat only	
Clinical Use	This assay measures the clotting ability of Factor 5. This assay is used to aid in the diagnosis of coagulation factor deficiencies that may present with epistaxis, easy bruising, or menorrhagia	
CPT Code(s)	85220	
Service Provided By	labcorp Oklahoma, Inc.	