


C1 Esterase Inhibitor

Order Name: **C1 ES QNT**
Test Number: **5569700**
Revision Date: **12/12/2022**

TEST NAME	METHODOLOGY	LOINC CODE
C1 Esterase Inhibitor	<u>Immunologic, quantitative</u>	4477-6

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5 mL)	Serum	Clot Activator SST	Room Temperature
Instructions	Notes: 0.5 mL (Note: This volume Does NOT allow for repeat testing.) Specimen Type: Red-top tube or gel-barrier tube Specimen Storage: Maintain specimen at room temperature. Specimen Collection: Separate serum from cells within 30 to 60 minutes after collection. Transfer specimen to a plastic transport tube. Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days			

GENERAL INFORMATION	
Expected TAT	3 - 4 days shift.
Clinical Use	Aids in diagnosis of hereditary angioedema and monitoring response to therapy.
Notes	Labcorp Test Code: 004648
CPT Code(s)	86160
Service Provided By	 labcorp Oklahoma, Inc.