

Parvovirus B-19 IgG and IgM

Order Name: PARVO B19
Test Number: 5574700
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Parvovirus B19 Titer IgG	Enzyme immunoassay (EIA)	5273-8
Parvovirus B19 Titer IgM	Enzyme immunoassay (EIA)	5274-6

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5 mL)	Serum	Clot Activator SST	Refrigerated
Alternate 1	1 mL (0.5 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Instructions	Specimen Type: Red-top tube or gel-barrier tube Specimen Storage: Maintain specimen at room temperature. Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days			

GENERAL INFORMATION	
Expected TAT	1 - 5 days
Clinical Use	For the detection of IgM and IgG anti-parvovirus B19 antibodies to aid in diagnosing erythema infections, parvovirus B19 aplastic crisis and other parovirus B19 related diseases.
Notes	Labcorp Test Code: 163303
CPT Code(s)	86747X2
Service Provided By	Oklahoma, Inc.