


Lupus Panel (SLE)

Order Name: **LUPUS PNL**  
Test Number: 5500380  
Revision Date: 03/15/2019

TEST NAME	METHODOLOGY	LOINC CODE
Anti-Nuclear Antibody Screen (ANA) with Reflex to Titer	Indirect Fluorescent Antibody	8061-4
Complement C3 and C4	Turbidometric	
DNA Double-Stranded Antibody (anti-ds DNA)	Chemiluminescence Assay	32677-7
ENA Screen	Chemiluminescence Assay	
Lupus Panel Interpretation		

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	6.5 mL (4)	Serum	Clot Activator SST	Frozen
Instructions	<p>For the best stability for all testing within this panel please process specimen in the following way:</p> <p>Allow specimen to clot completely at room temperature, then separate serum from cells within one hour of collection. Combined Stability: Room Temperature N/A, Refrigerated: 48hrs, Frozen 8 days.</p> <p>See the individual assays for their specific stability options.</p>			

GENERAL INFORMATION	
Testing Schedule	ANA screen, C3/C4 are Mon-Fri, ENA, ds-DNA are Mon, Wed, Fri
Expected TAT	Assay dependant
Clinical Use	To assist in the diagnosis and monitoring of SLE.
Notes	
CPT Code(s)	86235; 86225; 86038; 86160x2
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.