

Vancomycin Peak

Order Name: VANCO PEAK

Test Number: 4005900 Revision Date: 06/04/2021

| TEST NAME | | | METHODOLOGY | LOINC CODE |
|-----------------------|---|---------------|---|------------------------|
| Vancomycin Peak | | | Enzyme Multiplied Immunoassay Technique | 4090-7 |
| SPECIMEN REQUIREMENTS | | | | |
| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
| Preferred | 1 mL (0.5) | Plasma | Lithium Heparin PST (Light Green Top) | Refrigerated or Frozen |
| Alternate 1 | 1 mL (0.5) | Serum | Clot Activator SST | Refrigerated or Frozen |
| Instructions | Peak: draw specimen 60 minutes after a 1 hour infusion. Separate plasma/serum from cells/gel immediately. Stability: Refrigerated 7 days, Frozen 14 days. | | | |

| GENERAL INFORMATION | | |
|---------------------|---|--|
| Testing Schedule | Daily | |
| Expected TAT | 1-2 days | |
| Clinical Use | Useful for optimizing drug dosage and assessing toxicity. | |
| CPT Code(s) | 80202 | |
| Service Provided By | labcorp Oklahoma, Inc. | |