

**Selenium, Serum/Plasma**

Order Name: **SELENIUM**  
Test Number: 3610600  
Revision Date: 02/07/2023

TEST NAME	METHODOLOGY	LOINC CODE
Selenium, Serum/Plasma	<u>Inductively-Coupled Plasma/Mass Spectrometry</u>	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (0.6 mL)	Serum	Royal Blue - No Additive Clot (Trace Element Free)	Room Temperature
Alternate 1	2 mL (0.6 mL)	Plasma	Royal Blue - EDTA (Trace Element Free)	Room Temperature
Instructions	<p><b>Specimen:</b> Serum or Plasma</p> <p><b>Notes:</b> 0.6 mL (Note: This volume Does NOT allow for repeat testing).</p> <p><b>Specimen Type:</b> Royal blue-top Clot Tube OR Royal Blue-top (EDTA) tube</p> <p><b>Specimen Storage:</b> Maintain specimen at room temperature.</p> <p><b>Specimen Collection:</b> Separate serum or plasma immediately after the collection, and transfer to a certified metal-free transport tube (PeopleSoft No. 111166) for shipment to the laboratory.</p> <p><b>Specimen Stability:</b> Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days</p>			

GENERAL INFORMATION	
Expected TAT	2 - 4 days one working day.
Notes	Labcorp Test Code: 716910
CPT Code(s)	84255
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.