

Levetiracetam (Keppra)

Order Name: **LEVETIRACE**Test Number: 3658525
Revision Date: 05/28/2021

TEST NAME			METHODOLOGY	LOINC CODE	
Levetiracetam (Keppra)			Enzyme Immunoassay	30471-7	
SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	1mL (0.5)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated	
Alternate 1	1mL (0.5)	Plasma	EDTA (Lavender Top)	Refrigerated	
Alternate 2	1mL (0.5)	Plasma	Sodium Heparin (Green Top / No-Gel)	Refrigerated	
Instructions	Do not use Gel separation tubes. Separate plasma/serum from cells as soon as possible – prolonged presence of whole blood may cause hydrolysis of Levetiracetam. Stability: Ambient 8 hours, Refrigerated 7 days, Frozen 4 weeks				

GENERAL INFORMATION	
Testing Schedule	Mon - Fri
Expected TAT	1-3 Days
Clinical Use	Brivaracetam (Briviact) interferes with the measurements of Levetiracetam (Keppra) in the ARK Levetiracetam assay. Serum levels of levetiracetam and/or brivaracetam should be confirmed by a valid chromatographic method if there is a possibility these drugs are copresent in circulation.
CPT Code(s)	80177
Service Provided By	Oklahoma, Inc.