

Nortriptyline (Aventyl)

Order Name: NORTRIPTL
Test Number: 4006150
Revision Date: 12/21/2022

TEST NAME			METHODOLOGY	
Nortriptyline (Aventyl)		Quant Liquid Chromatography-Tandem Mass Sp	pectrometry 3872-9	
SPECIMEN REQUIRE	MENTS			
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5)	Serum	Clot Activator (Red Top, No-Gel)	Room Temperature
Alternate 1	1 mL (0.5)	Plasma	EDTA (Lavender Top)	Room Temperature
Instructions	Notes: 0.3 mL (Note: This volume Does NOT allow for repeat testing.) Specimen Type: Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gelbarrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Specimen Storage: Room Temperature Specimen Collection: Transfer separated serum or plasma to a plastic transport tube. For therapeutic monitoring, collect specimen immediately prior to next dose.			

GENERAL INFORMATION		
Expected TAT	3 - 5 days Sunday on 3rd shift; reported within one working day.	
Notes	Labcorp Test Code: 007393	
CPT Code(s)	80335	
Service Provided By	Oklahoma, Inc.	

Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days