


Ureaplasma urealyticum & Mycoplasma hominis Culture

Order Name: **C UREAPLAS**
Test Number: 6601690
Revision Date: 03/25/2024

TEST NAME	METHODOLOGY	LOINC CODE
Ureaplasma urealyticum & Mycoplasma hominis Culture	Culture	687-4

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	Entire container	Vaginal / Urethral	Copan UTM-RT	Refrigerated
Alternate 1	Entire container	Vaginal / Urethral	BD Universal Viral Transport Vial	Refrigerated
Alternate 2	Entire container	Semen/Urine/Bx/Tx/CSF	Sterile Screwtop Container	Refrigerated
Instructions	<p>Specimen Type: Viral, Chlamydia or Mycoplasma culture transport provided by Labcorp (Copan UTM-RT (multiple colors of caps).</p> <p>Supply is orderable through Materials Management under REF LAB Category, item # 24674. Also acceptable BD universal viral transport vial (BD220220).</p> <p>Specimen Collection:</p> <p>Females and Males: Collect a vaginal or urethral specimen using an appropriately sized synthetic swab. Place swab in viral transport media (VTM). Refrigerate and ship to the laboratory at 2-8°C.</p> <p>Semen/Urine/Biopsy/Tissue/CSF: Collect specimen in a sterile, leakproof container. Refrigerate and ship to the laboratory at 2-8°C.</p> <p>Causes for Rejection:</p> <p>Bacterial swab specimen; specimen received in grossly leaking transport container; dry specimen; specimen submitted in fixative or additive; specimen received in expired transport media or incorrect transport device; specimen received in M4 RT VTM; inappropriate specimen transport conditions; specimen received after prolonged delay in transport (usually more than 72 hours); specimen stored or transported at room temperature; wooden shaft swab in transport device; calcium alginate swabs; unlabeled specimen or name discrepancy between specimen and request label.</p> <p>Special Instructions: Submit one specimen per test requested. Specify the exact specimen source/origin (eg, genital lesion).</p>			

GENERAL INFORMATION	
Expected TAT	6-10 days
Clinical Use	<p>This culture will recover both Mycoplasma hominis and Ureaplasma urealyticum, if present.</p> <p>No environmental cultures performed. This testing is not suitable for determining mycoplasma contamination in any cell line or tissue culture.</p> <p>Limitations: Culture may be negative in the presence of infection, and the presence of Ureaplasma urealyticum or Mycoplasma hominis does not always indicate infection, although there is a significant association with symptomatic disease.</p>
CPT Code(s)	87109
Service Provided By	 labcorp Oklahoma, Inc.