

Inhibin B

Order Name: INHIBIN B
Test Number: 3656615
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY		LOINC CODE		
Inhibin B			e(TM) Enzyme Linked Immunoassay	34319-4	
SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	0. mL (0.3)	Serum	Clot Activator SST	Room Temperature	
Alternate 1	0. mL (0.3)	Serum	Clot Activator (Red Top, No-Gel)	Room Temperature	
Instructions	Notes: 0.3 mL (Note: This volume Does NOT allow for repeat testing.)  Specimen Type: Red-top tube or gel-barrier tube  Specimen Storage: Room temperature  Specimen Collection: If red-top tube is used, transfer separated serum to a plastic transport tube.  Special Instructions: This test may exhibit interference when sample is collected from a person who is consuming a supplement with a high dose of biotin (also termed as vitamin B7 or B8, vitamin H, or coenzyme R). It is recommended to ask all patients who may be indicated for Specimen Stability: Ambient: 7 days, Refrigerated: 21 days, Frozen: 21 days				

GENERAL INFORMATION	
Expected TAT	3 - 7 days
Notes	Labcorp Test Code: 146795
CPT Code(s)	83520
Service Provided By	labcorp Oklahoma, Inc.