

Acid Fast Bacilli (AFB) Respiratory Culture and Smear

Order Name: C AFB
Test Number: 6000100
Revision Date: 11/01/2018

TEST NAME		ME	ETHODOLOGY	LOINC CODE	
Acid Fast Bacilli (AFB) Respiratory Culture and Smear			ulture		
SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	10mL (5mL)	See Instructions	Sterile Screwtop Container	Refrigerated	
Instructions	Specimen types: Sputum, BAL, Bronch Wash, Tracheal Aspirate, Stool, Urine, or Gastric Aspirate. Encourage deep cough to minimize saliva contaminants. Minimum 5 mL in screw top container. May be collected with routine or fungal culture if quantity is sufficient. For respiratory, 3 consecutive days; early morning specimens are recommended. Minimum volume for urine is 40mL. Gastric lavage/aspirate minimum volume is 5-10 mL. Stability: Transport specimens as soon as possible for optimal recovery. Unacceptable: Specimens in non-sterile containers, swabs, specimens collected 7 days prior or stored at room temp. for more than 24 hours are not acceptable. For other specimen types see Acid Fast Bacilli (AFB) Culture Direct (6000130).				

GENERAL INFORMATION		
Testing Schedule	Daily	
Expected TAT	8 Weeks	
Clinical Use	Determines Mycobacteria sp. infections	
CPT Code(s)	87116, 87015, 87206	
Service Provided By	Oklahoma, Inc.	