St. John Health System Lab Catalog

T3 (Triiodothyronine) Reverse

Order Name: REVERSE T3
Test Number: 2010900
Revision Date: 09/05/2024

TEST NAME		METHODOLOGY	LOINC CODE		
T3 (Triiodothyronine) Reverse		Liquid Chromatography/Tandem Mass Spectr	ometry 3052-8		
SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	1.2 mL (0.8)	Serum	Clot Activator SST	Room Temperature	
Instructions	Notes: 0.8 mL (Note: This volume Does NOT allow for repeat testing.)  Specimen Type: Red-top tube OR gel-barrier tube  Specimen Storage: Room temperature  Specimen Collection: If a tube other than a gel-barrier tube is used, transfer separated serum to a plastic transport tube.  Specimen Stability: Ambient: 14 days, Refrigerated: 14 days, Frozen: 14 days				

GENERAL INFORMATION		
Expected TAT	4 - 6 days	
Clinical Use	Reverse T3 (rT3) has limited application. The assay may be useful in the diagnosis of nonthyroidal illness (NTI). Patients with NTI have low T3 concentrations and increased concentrations of rT3. RT3 may be useful in neonates to distinguish euthyroid sick syndrome from central hypothyroidism.	
Notes	Labcorp Test Code: 070104	
CPT Code(s)	84482	
Service Provided By	labcorp Oklahoma, Inc.	