

## Mite and Cockroach Allergen Panel

Order Name: **A MITE PNL**  
 Test Number: 5616725  
 Revision Date: 08/01/2023

TEST NAME	METHODOLOGY	LOINC CODE
<u>Dust Mite (D. farinae) Allergen</u>	<u>ImmunoCAP</u>	15680-2
<u>House Dust Mite Allergen</u>	<u>ImmunoCAP</u>	15682-8
<u>Cockroach, German Allergen</u>	<u>ImmunoCAP</u>	15647-1

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
<b>Preferred</b>	<b>1.2 mL (0.6 mL)</b>	<b>Serum</b>	<b>Clot Activator SST</b>	<b>Room Temperature</b>
<b>Instructions</b>	<p><b>Specimen Type:</b> Red-top tube or gel-barrier tube,            Separate Serum from Cells into a screwtop transport container.  <b>Stability Requirements:</b> Room temperature 14 days, Refrigerated 14 days, Frozen 3 months. (Freeze/thaw cycles Stable x3)</p>			

### GENERAL INFORMATION

<b>Expected TAT</b>	3-5 Days
<b>Notes</b>	Testing Performed at Labcorp Phoenix as Individual Allergens.
<b>CPT Code(s)</b>	86003x3

Service Provided By

