


Mite and Cockroach Allergen Panel

Order Name: **A MITE PNL**
Test Number: **5616725**
Revision Date: **08/01/2023**

TEST NAME	METHODOLOGY	LOINC CODE
<u>Dust Mite (D. farinae) Allergen</u>	<u>ImmunoCAP</u>	15680-2
<u>House Dust Mite Allergen</u>	<u>ImmunoCAP</u>	15682-8
<u>Cockroach, German Allergen</u>	<u>ImmunoCAP</u>	15647-1

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1.2 mL (0.6 mL)	Serum	Clot Activator SST	Room Temperature
Instructions	Specimen Type: Red-top tube or gel-barrier tube, Separate Serum from Cells into a screwtop transport container. Stability Requirements: Room temperature 14 days, Refrigerated 14 days, Frozen 3 months. (Freeze/thaw cycles Stable x3)			

GENERAL INFORMATION	
Expected TAT	3-5 Days
Notes	Testing Performed at Labcorp Phoenix as Individual Allergens.
CPT Code(s)	86003x3
Service Provided By	 labcorp Oklahoma, Inc.