

Lacosamide Level

Order Name: LACOSAMIDE

Test Number: 3666950 Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Lacosamide Level High-pressure liquid chromatography (HPLC) tandem mass		59297-2
	spectrometry.	

SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	0.25 mL (0.10 mL)	Serum	Clot Activator (Red Top, No-Gel)	Room Temperature	
Alternate 1	0.25 mL (0.10 mL)	Plasma	EDTA (Lavender Top)	Room Temperature	
Instructions	Notes: 0.10 mL (Note: This volume Does NOT allow for repeat testing) .				
	Specimen Type: Red-top tube, lavender-top (EDTA) tube, OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-				
	barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease				
	in drug level due to absorption may be clinically significant.				
	Container Detail: No SST				
	Specimen Storage: Maintain specimen at room temperature.				
	Specimen Collection: Transfer separated serum or plasma to a plastic transport tube.				
	Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 105 days				

GENERAL INFORMATION	
Expected TAT	3 - 4 days
Notes	Labcorp Test Code: 007012
CPT Code(s)	80235
Service Provided By	Oklahoma, Inc.