

TORCH panel

Order Name: **TORCH panel**
 Test Number: 5592126
 Revision Date: 02/08/2024

TEST NAME	METHODOLOGY	LOINC CODE
Toxoplasma Antibodies IgG and IgM		
Rubella virus Antibodies IgG and IgM		
Cytomegalovirus (CMV) Antibodies IgG and IgM		
Herpes Simplex Virus Type 1 and Type 2 Antibodies IgG	Chemiluminescence Assay	
Herpes Simplex Virus Type 1/2 IgM IFA	Indirect Fluorescent Antibody	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1.5 mL (1.2 mL)	Serum	Clot Activator (SST or Red No-Gel)	Refrigerated or Frozen
Alternate 1	1.5 mL (1.2 mL)	Cord Blood Serum	Clot Activator SST (Gold Bullet)	Refrigerated or Frozen
Instructions	Stability: Refrigerated 2 Days, Frozen 1 Year			

GENERAL INFORMATION	
Testing Schedule	Mon-Sat
Expected TAT	1-2 Days
Notes	As of 2.8.24 the IgM will no longer reflex to an IFA confirmation.
CPT Code(s)	86762x2, 86777, 86778, 86644, 86645, 86695x2, 86696x2
Service Provided By	 labcorp Oklahoma, Inc.