

**Acyclovir Level Serum/Plasma**

Order Name: **Acyclovir S/P**  
Test Number: 6904733  
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Acyclovir Level Serum/Plasma	<u>Liquid Chromatography/Tandem Mass Spectrometry</u>	9416-9

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.21 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	1 mL (0.21 mL)	Plasma	EDTA (Lavender Top)	Refrigerated
Instructions	<p><b>Specimen Type:</b> Red-top tube or lavender-top (EDTA) tube</p> <p><b>Specimen Storage:</b> Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 1 year</p> <p><b>Specimen Collection:</b> No gel-barrier tubes. Serum or plasma should be separated from cells within two hours of venipuncture. Send serum or plastic in a plastic transport tube.</p> <p><b>Special Instructions:</b> Testing referred to National Medical Services NMSPA#0158SP</p> <p><b>Specimen Stability:</b> Ambient: 30 days, Refrigerated : 30 days, Frozen: 4 months</p>			

GENERAL INFORMATION	
Expected TAT	11 - 15 days
Notes	Labcorp Test Code: 202121
CPT Code(s)	80375
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.