


Human Anti-Mouse Antibody (HAMA), ELISA

Order Name: **HAMA**
Test Number: **6905043**
Revision Date: **12/12/2022**

TEST NAME	METHODOLOGY	LOINC CODE
Human Anti-Mouse Antibody (HAMA), ELISA	<u>Quantitative Enzyme-Linked Immunosorbent Assay</u>	14975-7

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.2)	Serum	Clot Activator SST	Refrigerated
Alternate 1	1 mL (0.2)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Instructions	<p>Notes: 0.2 mL (Note: This volume Does NOT allow for repeat testing.)</p> <p>Specimen Type: Red-top tube or gel-barrier tube</p> <p>Specimen Storage: Refrigerated</p> <p>Specimen Collection: If a red-top tube is used, transfer separated serum to a plastic transport tube.</p> <p>Specimen Stability: Ambient: Not Available, Refrigerated : Not Available, Frozen: Not Available</p>			

GENERAL INFORMATION	
Expected TAT	6 - 10 days
Notes	<p>Methodology</p> <p>Enzyme-linked immunosorbent assay (ELISA). The ImmuSTRIP® HAMA ELISA Test System employs a control mouse polyclonal antibody as the capture antibody and a mouse anti-isotypic monoclonal IgG1 to detect HAMA.16,17 The test has been calibrated with baboon anti-mouse IgG serum. Final patient values are reported as nanograms of precipitable antibody present in the sample per mL.</p> <p>Labcorp Test Code: 140657</p>
CPT Code(s)	83520
Service Provided By	 labcorp Oklahoma, Inc.