

Olanzapine serum or plasma

Order Name: OLANZ S/P
Test Number: 6905093
Revision Date: 12/20/2022

TEST NAME		METHO	DDOLOGY	LOINC CODE
Olanzapine serum or plasma		Quant	Liquid Chromatography-Tandem Mass Spec	trometry 12389-3
SPECIMEN REQUIREM	ENTS			
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (0.5 mL)	Serum	Clot Activator SST	Room Temperature
Instructions	Specimen Type: Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Specimen Storage: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen Collection: Serum or plasma should be separated from cells within two hours of venipuncture. Submit serum or plasma in a plastic transport tube. Special Instructions: Testing referred to MedTox Laboratories Inc MX#756			

GENERAL INFORMATION		
Expected TAT	5-10 days	
Clinical Use	Olanzapine shows slight interference with high levels of hemolysis in the sample. Noroxycodone causes an analytical interference and impacts the quantitation of Olanzapine	
Notes	Labcorp Test Code: 811513	
CPT Code(s)	80299	
Service Provided By	labcorp Oklahoma, Inc.	