

**Chlamydia trachomatis, Neisseria gonorrhoeae Swab - TMA**

 Order Name: **CT/GC Swab**

Test Number: 6910127

Revision Date: 04/03/2025

TEST NAME	METHODOLOGY	LOINC CODE
Chlamydia trachomatis Swab	Transcription-Mediated Amplification	43304-5
Neisseria gonorrhoeae Swab	Transcription-Mediated Amplification	43305-2
Specimen Source - Prompt	Prompt	

**SPECIMEN REQUIREMENTS**

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>Swab</b>	<b>Swab</b>	<b>APTIMA Multitest Swab kit</b>	<b>Refrigerated</b>
Alternate 1	<b>Swab</b>	<b>Swab</b>	<b>APTIMA Unisex Swab Collection kit</b>	<b>Refrigerated</b>

**Instructions** **Collect vaginal swab in APTIMA Multitest swab collection kit, or endocervical or male urethral swab, rectal and throat specimens in APTIMA Unisex Swab Specimen Collection kit.**

Place swab in Swab Specimen Transport Tube, break shaft off at scoreline then recap tube.

**Stability:** Room Temperature 30 Days, Refrigerated 30 Days, Frozen: N/A

**Note:** **Multiple orders for different collection sites must be placed with collection times at least 1 minute apart to avoid duplication issues.**

**GENERAL INFORMATION**

Testing Schedule	Mon-Fri
Expected TAT	2-3 days
CPT Code(s)	87491, 87591
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.