

Chlamydia trachomatis, Neisseria gonorrhoeae Urine - TMA

Order Name: **CT/GC Urine**
Test Number: 6910129
Revision Date: 10/28/2019

TEST NAME	METHODOLOGY	LOINC CODE
Chlamydia trachomatis Urine	Transcription-Mediated Amplification	42931-6
Neisseria gonorrhoeae Urine	Transcription-Mediated Amplification	60256-5

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL	Urine, First Void	APTIMA Urine Transport Tube	Refrigerated
Instructions	First catch urine. Patient should not have urinated for at least 1 hr prior to collection. Female patients should not cleanse the labial area prior to collection. Transfer 2 mL urine to APTIMA Urine Specimen Transport Tube within 24hrs of collection. Liquid level must be between fill lines on tube. Stability: Refrigerated = 30 days			
Please contact your account rep if training and APTIMA Urine Specimen Transport supplies have not been supplied to your practice.				

GENERAL INFORMATION	
Testing Schedule	Mon-Fri
Expected TAT	2-3 days
CPT Code(s)	87491, 87591
Service Provided By	 labcorp Oklahoma, Inc.