

**Thyroglobulin Analyzer**

Order Name: **Thyroglob An**  
Test Number: 3612485  
Revision Date: 10/01/2022

TEST NAME	METHODOLOGY	LOINC CODE
<u>Thyroglobulin Autoantibody (TG Ab)</u>	<u>Enzyme Immunoassay</u>	8098-6

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
<b>Preferred</b>	<b>3 mL (1.8 mL)</b>	<b>Serum</b>	<b>Clot Activator SST</b>	<b>Refrigerated</b>
<b>Instructions</b>	Unacceptable Conditions: Samples left ambient for greater than 8 hours Stability After separation from cells: Ambient 8 hours, Refrigerated 3 days, Frozen 30 days.  <i>Thyroglobulin by immunoassay is highly susceptible to biotin interference. Patients taking biotin supplements – particularly at high doses – may show falsely low or undetectable thyroglobulin levels. Please consult with lab if biotin interference is suspected.</i>			

GENERAL INFORMATION	
<b>Testing Schedule</b>	Initial testing is Set Up Mon-Fri
<b>Expected TAT</b>	1-4 days from set up
<b>Notes</b>	<p><b>If Thyroglobulin Autoantibody is Negative</b> a Labcorp Oklahoma, Inc. performed <b>Thyroglobulin Level by Immunoassay</b> will be Reflexed (CPT 84432) Order code <b>[3612487]</b> <b>Thyroglobulin Level</b>   Result code <b>[3608030]</b> <b>Thyroglobulin Level</b> Stability: Ambient 8 hours, Refrigerated 3 days, Frozen 2 months.</p> <p><b>If Thyroglobulin Autoantibody is Positive</b> an ARUP performed <b>Thyroglobulin Level by LC-MS/MS</b> will be Reflexed (CPT 84432) Order code <b>[3612488]</b> <b>Thyroglobulin by LC-MS/MS</b>   Result code <b>[3612488]</b> <b>Thyroglobulin Level LCMS</b> Stability: Ambient 8 hours, Refrigerated 1 week, Frozen 6 months.</p>
<b>CPT Code(s)</b>	86800 Reflex to 84432
<b>Service Provided By</b>	 <b>labcorp</b> Oklahoma, Inc.