

**Drug Screen 10 Panel, Serum
Reflex to Quant Confirmation**

Order Name: **Drug Screen 10**
Test Number: 6980101
Revision Date: 01/06/2023

TEST NAME	METHODOLOGY	LOINC CODE
Drug Screen 10 Panel, Serum Reflex to Quant Confirmation	Immunoassay (IA)	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	7 mL (3 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Instructions	<p>Specimen Type: Red-top (no additive) tube; tubes with separator gels should not be used</p> <p>Specimen Storage: Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.</p> <p>Specimen Collection: Serum should be separated from cells within two hours of venipuncture. Submit serum in a plastic transport tube.</p> <p>Special Instructions: Testing referred to MEDTOX Laboratories Inc TC 700841 If reflex test is performed, additional charges/CPT code(s) will apply.</p>			

GENERAL INFORMATION	
Expected TAT	3-10 days
Clinical Use	Monitor patient compliance. For medical purposes only; not valid for forensic use.
CPT Code(s)	80307, if positive, add appropriate CPT code(s): 80324; 80359; 80345; 80346; 80349; 80353; 80358; 80361; 80365; 80348; 83992 (Alt code: if positive, add appropriate CPT code(s): G0480)
Service Provided By	 labcorp Oklahoma, Inc.