

**ADMA/SDMA**Order Name: **ADMA/SDMA**

Test Number: 6907363


Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
<b>SDMA</b>	<a href="#">Liquid Chromatography/Mass Spectroscopy</a>	90781-6
<b>ADMA</b>	<a href="#">Liquid Chromatography/Mass Spectroscopy</a>	80981-4

**SPECIMEN REQUIREMENTS**

Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
<b>Preferred</b>	<b>1 mL ( 0.5 mL)</b>	<b>Serum</b>	<b>Clot Activator SST</b>	<b>Refrigerated</b>
<b>Alternate 1</b>	<b>1 mL ( 0.5 mL)</b>	<b>Serum</b>	<b>Clot Activator (Red Top, No-Gel)</b>	<b>Refrigerated</b>
<b>Instructions</b>	<b>Specimen Type:</b> Gel-barrier tube <b>Specimen Storage:</b> Refrigerated <b>Specimen Collection:</b> Fasting recommended but not required. Serum must be separated from cells within 45 minutes of venipuncture. Send serum in a plastic transfer tube. <b>Special Instructions:</b> Testing referred to Cleveland HeartLab CLHRT#C301 <b>Specimen Stability:</b> Ambient: 1 day, Refrigerated : 7 days, Frozen: 23 days			

**GENERAL INFORMATION**

<b>Expected TAT</b>	7-11 days
<b>Notes</b>	Labcorp Test Code: 821413
<b>CPT Code(s)</b>	82542
<b>Service Provided By</b>	 <b>labcorp</b> Oklahoma, Inc.