


Kappa/Lambda Light Chains Only - Serum

Order Name: **Free Light Only**
Test Number: 6907201
Revision Date: 01/01/2022

TEST NAME	METHODOLOGY	LOINC CODE
Free Kappa Light Chains	Turbidometric	36916-5
Free Lambda Light Chains	Turbidometric	33944-0
Free Kappa/Lambda Light Chains Ratio	Calculation	48378-4

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (1 mL)	Serum	Clot Activator SST	Refrigerated
Instructions	Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Stability After separation from cells: Ambient 4hours, Refrigerated 7 days, Frozen 1 months (avoid repeated freeze/thaw cycles).			

GENERAL INFORMATION	
Testing Schedule	1-3 Days
Expected TAT	Mon - Fri
Clinical Use	Quantitative serum Kappa and Lambda with Kappa/Lambda ratio results
Notes	Kappa/Lambda Light Chains without Pathology Interpretation
CPT Code(s)	83521x2
Service Provided By	 labcorp Oklahoma, Inc.