

1,5 Anhydroglucitol Quantitative, Serum or Plasma

Order Name: **Anhydroglucitol**
Test Number: 2907676
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
1,5 Anhydroglucitol Quantitative, Serum or Plasma	Quantitative Enzymatic	53835-5

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.75 mL)	Serum	Clot Activator SST	Room Temperature
Alternate 1	1 mL (0.75 mL)	Plasma	EDTA (Lavender Top)	Room Temperature
Instructions	<p>Notes: 0.75 mL (Note: This volume Does NOT allow for repeat testing.) Specimen Type: Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Specimen Storage: Room temperature Specimen Collection: Separate serum or plasma from cells within one hour of collection. Special Instructions: Testing is performed at Esoterix Endocrinology Laboratory: ES#500609 Specimen Stability: Ambient: 7 days, Refrigerated : 14 days, Frozen: 14 days</p>			

GENERAL INFORMATION	
Expected TAT	3 - 5 days
Clinical Use	aka: GlycoMark® (GlycoMark® is a registered trademark of GlycoMark Inc) Ordering Recommendation: To monitor postprandial hyperglycemia and short-term glycemic control when hemoglobin A1c is 6.1-7.9%
Notes	Labcorp Test Code: 500115
CPT Code(s)	84378
Service Provided By	 labcorp Oklahoma, Inc.