

St. John Health System Lab Catalog

> Order Name: CoV2 IgG Spike Test Number: 6907251 Revision Date: 07/19/2024

TEST NAME			METHODOLOGY	LOINC CODE	
SARS-CoV2 IgG Spike			Chemiluminescence, Immunoassay	94661-6	
SARS-CoV2 IgG Spike Index		Chemiluminescence, Immunoassay	94505-5		
SPECIMEN REQUIRE	MENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	2 mL (0.4 mL)	Serum	Clot Activator SST	Room Temperature	
Alternate 1	2 mL (0.4 mL)	Plasma	Lithium Heparin PST (Light Green Top)	Room Temperature	
Alternate 2	2 mL (0.4 mL)	Plasma	EDTA (Lavender Top)	Room Temperature	
Instructions	<ul> <li>Minimum Volume: 0.4 mL (Note: This volume does not allow for repeat testing.)</li> <li>Container: Gel-barrier tube or serum from red-top tube or serum transfer tube, or plasma from lithium heparin or EDTA tube</li> </ul>				
	Cause for Rejection: Grossly hemolyzed or lipemic samples and samples containing particulate matter or exhibiting obvious microbial containing particulate matter or exhibiting particulate matter or exhibiting particulate matter or exhibiting partic				
	Stability: Ambient 14 days; Refrigerated 14 days; Frozen 14 days (freeze thaw cycle x3)				

GENERAL INFORMATION			
Expected TAT	2-4 Days		
Clinical Use	The incubation period for COVID-19 ranges from 5 to 7 days. Current literature suggests that detectable IgG-class antibodies against SARS-CoV-2 develop approximately 8 to 11 days following onset of symptoms. Correlation with epidemiologic risk factors and other clinical and laboratory findings is recommended. A positive serological result is not diagnostic but indicates that an individual has likely been infected with SARS-CoV-2 and produced an immune response to the virus. It is not known at this time whether detectable antibody correlates with immunity. A negative serologic result indicates that an individual has not developed detectable antibodies at the time of testing. While contingent on a variety of factors, this could be due to testing too early in the course of infection, the absence of exposure to the virus, or the lack of adequate immune response, which can be due to conditions or treatments that suppress immune function.		
CPT Code(s)	86769		
Service Provided By	Oklahoma, Inc.		