

Perampanel, Serum/Plasma

Order Name: **Perampanel**
Test Number: 5194424
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Perampanel, Serum/Plasma	High-pressure liquid chromatography (HPLC)	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.3 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	1 mL (0.3 mL)	Plasma	EDTA (Lavender Top)	Refrigerated
Instructions	<p>Specimen Type: Red-top tube or lavender-top (EDTA) tube</p> <p>Specimen Storage: Refrigerate</p> <p>Specimen Collection: Serum or plasma must be separated from cells within 45 minutes of venipuncture. Send serum or plasma in a plastic transfer tube.</p> <p>Special Instructions: Testing referred to National Medical Services TC#3433SP</p> <p>Specimen Stability: Ambient: 1 month, Refrigerated : 1 month, Frozen: 25 months</p>			

GENERAL INFORMATION	
Expected TAT	Not Available
Notes	Labcorp Test Code: 821473
CPT Code(s)	80299
Service Provided By	 labcorp Oklahoma, Inc.