Vitamin B12 Deficiency Cascade

## St. John Health System Lab Catalog

Order Name: Vitamin B12 Deficiency Cascade

Test Number: 5194465 Revision Date: 12/12/2022

TEST NAME METHODOLOGY LOINC CODE

Vitamin B12 Deficiency Cascade

SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	3 mL (2 mL)	Serum	Clot Activator (SST or Red No-Gel)	Room Temperature	
Instructions	s Notes: 2 mL (Note: This volume Does NOT allow for repeat testing).				
	Specimen Type: Red-top tube or gel-barrier tube				
	Specimen Storage: Store specimen at room temperature				
	Specimen Collection: If a red	ed-top tube is used, transfer separated serum to a plastic transport tube.			
	Special Instructions: Vitamin B12 testing is performed on all samples. If Vitamin B12 is <200 pg/mL: Intrinsic Factor Blocking Antibodies and				
	Antipariental Cell Antibody (APCA) will be performed at an additional charge. If Vitamin B12 is between 200 and 400 pg/mL: Methyli				
	Specimen Stability: Ambient: 7 days, Refrigerated : 7 days, Frozen: 14 days				

GENERAL INFORMATION	
Expected TAT	3-5 Days
CPT Code(s)	82607
Service Provided By	Oklahoma, Inc.