METHODOL OGV



GeneSeq PLUS, HEXA

Order Name: GeneSeq P/HEXA

I OINC CODE

Test Number: 5194972 Revision Date: 03/21/2023

IESI NAME		METH	ODOLOGY	LOING CODE	
GeneSeq PLUS, HEXA	Polymerase Chain Reaction				
SPECIMEN REQUIREMENTS					
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	8.5 mL (3 mL)	Whole Blood	ACD Solution A or B (Yellow Top)	Room Temperature	
Alternate 1	8.5 mL (3 mL)	Whole Blood	EDTA (Lavender Top)	Room Temperature	
Alternate 2	1	Saliva	Oragene Dx saliva kit	Room Temperature	
Alternate 3	1	Buccal swab	PurFlock buccal swab kit	Room Temperature	
Instructions	Specimen Type: Whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit  Specimen Volume: 8.5 mL whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit  Mininum Volume: 3 mL whole blood or PurFlock buccal swab kit or Oragene Dx saliva kit  Collection: Standard phlebotomy. Follow PurFlock buccal swab kit or Oragene Dx 500 saliva kit collection instructions. Do not eat, drink, smoke, or chew gum 30 min prior to collection.  Specimen Storage: Maintain specimen at room temperature or refrigerate at 4C Do not freeze.  Special Instructions: Variants of uncertain significance (VUS) will be reported unless VUS opt out is indicated on the requisition. If requesting full gene sequencing for multiple genes, order GeneSeq PLUS [5194962]. To test fetal specimens, including cordblood, order test code GeneSeq PLUS,  Fetal Analysis [5194963] Test orders must include an attestation that the provider has the patient's informed consent for genetic testing. See sample				

GENERAL INFORMATION		
Expected TAT	14 - 21 days In some cases, additional time may be required for confirmatory or reflex tests.	
Clinical Use	This test is used for carrier and diagnostic testing for Tay-Sachs disease.	
Notes	Labcorp Test Code: 482884	
Service Provided By	labcorp Oklahoma, Inc.	

physician office consent form: Consent for Genetic Testing.