METHODOL OGV



Ova and Parasites Examination

Order Name: O and P Exam

I OINC CODE

Test Number: 5195166
Revision Date: 01/18/2024

TEST NAME			WETHODOLOGY	LOING CODE			
Ova and Parasites Examination		Formalin concentrate and trichrome stain		N/A			
SPECIMEN REQUIREMENTS							
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment			
Preferred	5 mL (3 mL)	Fecal/Stool	Ova and Parasite Detection Kit (PVA and 10% Formalin)	Room Temperature			
Alternate 1	5 mL (3 mL)	Sputum	Formalin in Screwtop Container	Room Temperature			
Instructions	Container: O & P transport container with formalin and PVA (Para-Pak® pink and gray) Storage requirements: Room Temperature Collection: Sputum: If paragonimiasis or echinococcosis is suspected, submit specimen in 10% formalin. Feces: Submit in a parasite preservative kit. Please inoculate both the PVA and the formalin tubes. Fresh feces should not be submitted. State the preliminary diagnosis. Other. Contact the laboratory for specific instructions. All: Multiple specimens may be necessary to recover ova or trophozoites. Three specimens are recommended						

72 hours after admission is usually caused by Clostridium difficile toxin rather than parasites or the usual stool pathogens.

GENERAL INFORMATION

Expected TAT

3-7 days

Notes

Effective Jan. 23rd 2024 the reflex test will be reported inside the orginal order for the Ova and Parasites Exam test.

(each is charged). Fecal specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. The highest yield on hospitalized patients occurs when diarrhea is present on admission or within 72 hours of admission. The onset of diarrhea more than

ORDER CODE	ORDER NAME	RESULT CODE	RESULT NAME	LOINC
5195166	Ova and Parasites Examination	5195166	O and P Exam	673-4
		5195168	Ova and Para 1	10701-1
		5195169	Ova and Para 2	10701-1
		5195170	Ova and Para 3	10701-1
		5195171	Ova and Para 4	10701-1

CPT Code(s)

87177; 87209

Service Provided By

