



## Abnormal PT/PTT Analyzer

Order Name: **PT PTT AN**

Test Number: 1507500

Revision Date: 03/25/2025

TEST NAME	METHODOLOGY	LOINC CODE
Abnormal PT/PTT Analyzer		

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>37.5 mL</b>	<a href="#">See Instructions</a>	<a href="#">See Instructions</a>	<a href="#">See Instructions</a>
Instructions	<p>Please list the patient's anticoagulant on the "Coagulopathy Questionnaire Form" and submit with specimen or fax to 918-744-2897.</p> <p>Please collect:</p> <p><b>Seven 2.7mL Sodium Citrate 3.2% (Blue Top) tubes</b> and</p> <p><b>One 5mL Clot Activator SST</b> - send refrigerated.</p> <p>Each 2.7mL Sodium Citrate 3.2% (Blue Top) tube must be filled to the proper level, no hemolysis. Improperly filled tubes can give erroneous results.</p> <p><b>Whole blood must be transported to lab immediately.</b></p> <p><b>If testing cannot be started within 4 hours of collection the specimen must be double spun then 1.5mL plasma aliquot from each tube into individual plastic aliquot tubes and freeze.</b></p> <p><b>Do not pool aliquots together!</b></p>			
<p><a href="#">Coagulopathy Questionnaire Form</a></p> <p><a href="#">Double Spin Procedure</a></p>				

GENERAL INFORMATION	
Testing Schedule	Mon - Wed, Fri - Day Shift
Expected TAT	2-4 Days
Clinical Use	This analyzer is designed to evaluate patients with an unexplained prolonged PT or PTT in whom there is no clinical history or strong clinical suspicion of either bleeding or thrombolytic tendency. A pathologist interpretation and patient focused report with summation of test results will be issued with each order.
<p><b>Not recommended when patients are taking Pradaxa®, Xarelto® and Apixaban®</b> <a href="#">See More Information</a>.</p>	

### CPT Code(s)

## Initial Testing

TEST NAME	CPT CODES
LA-PTT	<b>85705</b>
Pathology Interpretation	<b>80503</b>
PT	<b>85610</b>
PTT	<b>85730</b>

## Possible Additional Testing

TEST NAME	CPT CODES
Cardiolipin G/M	<b>86147 x2</b>
Beta 2 Glycoprotein	<b>86146 x2</b>
DRVVT Screen	<b>85613</b>
DRVVT Mix	<b>85613</b>
DRVVT Confirm	<b>85613</b>
Factor 10	<b>85260</b>
Factor 11	<b>85270</b>
Factor 12	<b>85280</b>
Factor 2	<b>85210</b>
Factor 5	<b>85220</b>
Factor 7	<b>85230</b>
Factor 8	<b>85240</b>
Factor 9	<b>85250</b>
Fibrinogen	<b>85384</b>
Hepzyme	<b>85525</b>
Silica Clotting Time	<b>87532</b>
Mix PT	<b>85611 x2</b>
Mix PTT	<b>85732 x2</b>
Mix PTT-La	<b>85732 x2</b>
Heparin DI	<b>85525</b>
Con Coag	<b>8539026</b>
Liver Profile	<b>80076</b>
Platelet Count	<b>85049</b>
Quantitative D-Dimer	<b>85379</b>



Service Provided By

