

**Von Willebrand Factor Activity (Ristocetin Cofactor)**

Order Name: **RISTOC COF**  
 Test Number: 1502200  
 Revision Date: 10/08/2024

| TEST NAME  | METHODOLOGY    | LOINC CODE |
|--|----------------|------------|
| Von Willebrand Factor Activity (Ristocetin Cofactor) | Clot Detection | 6014-5     |

**SPECIMEN REQUIREMENTS**

|  |   |               |                                       |                       |
|--|---|---------------|---------------------------------------|-----------------------|
| Specimen   | Specimen Volume (min)   | Specimen Type | Specimen Container                    | Transport Environment |
| Preferred  | <b>2 mL (1)</b>   | <b>Plasma</b> | <b>Sodium Citrate 3.2% (Blue Top)</b> | <b>Frozen</b>         |
| Instructions   | Frozen Citrated plasma, plasma must be double spun and frozen in 1.5 ml aliquots. Do not pool plasma from multiple tubes! Do not thaw. Hemolyzed specimens are not acceptable. See Specimen Collection Section, Coagulation Testing. Fasting for at least 8 hours is preferred. |               |                                       |                       |
| Specimen Stability: Room temperature: unacceptable, Refrigerated: unacceptable, Frozen: 3 months |   |               |                                       |                       |

**GENERAL INFORMATION**

|                     |  |
|---------------------|--|
| Testing Schedule    | Thursday - Day Shift   |
| Expected TAT        | 1-7 Days   |
| Clinical Use        | Also known as von Willebrand Factor Activity   |
| CPT Code(s)         | 85245  |
| Service Provided By |  <b>labcorp</b><br>Oklahoma, Inc. |