

## Selenium, Serum/Plasma

Order Name: **SELENIUM**  
 Test Number: 3610600  
 Revision Date: 02/07/2023

TEST NAME	METHODOLOGY	LOINC CODE
Selenium, Serum/Plasma	<u>Inductively-Coupled Plasma/Mass Spectrometry</u>	

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (0.6 mL)	Serum	Royal Blue - No Additive Clot (Trace Element Free)	Room Temperature
Alternate 1	2 mL (0.6 mL)	Plasma	Royal Blue - EDTA (Trace Element Free)	Room Temperature

**Instructions**

**Specimen:** Serum or Plasma

**Notes:** 0.6 mL (Note: This volume Does NOT allow for repeat testing).

**Specimen Type:** Royal blue-top Clot Tube OR Royal Blue-top (EDTA) tube

**Specimen Storage:** Maintain specimen at room temperature.

**Specimen Collection:** Separate serum or plasma immediately after the collection, and transfer to a certified metal-free transport tube (PeopleSoft No. 111166) for shipment to the laboratory.

**Specimen Stability:** Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days

### GENERAL INFORMATION

Expected TAT	2 - 4 days one working day.
Notes	Labcorp Test Code: 716910
CPT Code(s)	84255

Service Provided By

