

**Carbohydrate-Deficient Transferrin (CDT)  
( UltraQuant )**

Order Name: **CDT ULTRAQ**  
Test Number: 3661700  
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Carbohydrate-Deficient Transferrin (CDT) ( UltraQuant )	Capillary Electrophoresis	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.75 mL)	Serum	Clot Activator SST	Frozen
Instructions	<p><b>Notes:</b> 0.75 mL (Note: This volume Does NOT allow for repeat testing).</p> <p><b>Specimen Type:</b> Red-top tube or gel-barrier tube</p> <p><b>Specimen Storage:</b> <b>FREEZE</b></p> <p><b>Specimen Collection:</b> <b>Serum should be separated from cells within two hours of venipuncture. Send serum frozen in a plastic transport tube.</b> To avoid delays in turnaround time when requesting multiple tests on frozen samples, PLEASE SUBMIT SEPARATE FROZEN SPECIMENS FOR EACH TEST REQUESTED.</p> <p><b>Special Instructions:</b> This test is intended for evaluation of alcohol abuse. To evaluate patients for congenital disorders, physicians should contact LabCorp customer service.</p> <p><b>Specimen Stability:</b> Ambient: 2 days, Refrigerated : 2 days, Frozen: 7 days</p>			

GENERAL INFORMATION	
Expected TAT	3 - 5 days
Clinical Use	This Carbohydrate Deficient Transferrin UltraQuant is used to identify alcohol misuse in patients with unexplained elevations of MCV, liver enzymes, HDL, or idiopathic neuropathies.
Notes	Labcorp Test Code: 123211
CPT Code(s)	82373
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.