

**Aluminum Level**

Order Name: **ALUMINUM**  
 Test Number: 3800750  
 Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Aluminum Level	Inductively-Coupled Plasma/Mass Spectrometry	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>7 mL (0.6)</b>	<b>Serum</b>	<b>Royal Blue - No Additive Clot (Trace Element Free)</b>	<b>Room Temperature</b>
Alternate 1	<b>7 mL (0.6)</b>	<b>Plasma</b>	<b>Royal Blue - EDTA (Trace Element Free)</b>	<b>Room Temperature</b>
Instructions	<b>Specimen Type:</b> Royal blue-top (EDTA) tube OR royal blue-top without EDTA <b>Specimen Storage:</b> Maintain specimen at room temperature. <b>Specimen Collection:</b> Separate serum or plasma immediately after the collection, and transfer to a certified metal-free transport tube (PeopleSoft No. 111166) for shipment to the laboratory. <b>Specimen Stability:</b> Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days			

GENERAL INFORMATION	
Expected TAT	2 - 4 days working day.
Notes	Labcorp Test Code: 071548
CPT Code(s)	82108
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.