

Manganese Level

 Order Name: **MANGANESE**

Test Number: 3610650

Revision Date: 03/06/2025

TEST NAME	METHODOLOGY	LOINC CODE
Manganese Level	Quantitative Inductively Coupled Plasma-Mass Spectrometry	5683-8

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2mL (0.6)	Plasma	Royal Blue - EDTA (Trace Element Free)	Room Temperature
Alternate 1	2mL (0.6)	Serum	Royal Blue - No Additive Clot (Trace Element Free)	Room Temperature
Instructions	Specimen Type: Royal blue-top (EDTA) tube or Royal Blue-Top (no additive) Specimen Collection: Allow Serum to clot then Promptly centrifuge and separate Serum or Plasma into an acid washed plastic screw capped vial (PeopleSoft No.111166) for shipment to the laboratory. Testing referred to National Medical Services NMSP#2570SP Specimen Stability: Ambient: 30 days, Refrigerated : 30 days, Frozen: 30 days			

GENERAL INFORMATION

Expected TAT	6-8 days
CPT Code(s)	83785
Service Provided By	 labcorp Oklahoma, Inc.