

Squamous Cell Carcinoma Antigen

Order Name: **Sqm Carc Ag**
Test Number: 3650700
Revision Date: 04/24/2025

TEST NAME	METHODOLOGY	LOINC CODE
Squamous Cell Carcinoma Antigen	<u>Immunofluorescence Assay (IFA)</u>	9679-2

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	0.5 mL (0.2 mL)	Serum	Clot Activator (SST or Red No-Gel)	Frozen
Instructions	<p>Specimen Type: Red-top tube or gel-barrier tube</p> <p>Collection: Centrifuge and aliquot serum into a plastic vial. Do not submit in original tube.</p> <p>Specimen Storage: Frozen</p> <p>Specimen Collection: Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection.</p> <p>Special Instructions: Testing referred to Mayo Medical Laboratory ;V#SCCA</p> <p>Specimen Stability: Ambient: 7 days, Refrigerated : 7 days, Frozen: 90 days</p> <p>?Cause for Rejection: Gross hemolysis, gross lipemia, or gross icterus</p>			

GENERAL INFORMATION	
Expected TAT	11 days
CPT Code(s)	86316
Service Provided By	 labcorp Oklahoma, Inc.