

**Selenium Level Urine**

Order Name: **SELENIUM U**  
 Test Number: 3658675  
 Revision Date: 10/16/2024

TEST NAME	METHODOLOGY	LOINC CODE
Creatinine Screen	Immunoassay (IA)	2161-8
Selenium Level Urine	Inductively-Coupled Plasma/Mass Spectrometry	5726-5
Selenium/Creatinine	Calculation	13467-6

**SPECIMEN REQUIREMENTS**

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	3 mL (1.3 mL)	Urine, Random	Acid Washed, Trace Element Free Contatiner	Refrigerated
Instructions	<b>Specimen:</b> 3mL(1.3mL) Random Urine in acid washed trace emelent free container <b>Collection:</b> Unpreserved urine should be refrigerated immediately and analyzed within 1 week of collection. Acceptable preservatives include: Trace Metal Free Hydrochloric Acid or Nitric Acid (0.1 mL of 12M acid/10 mL urine). <b>Stability Requirements:</b> Room temperature n/a, Refrigerated 30 Days, Frozen 12 Months <b>Cause for Rejection:</b> Received Room Temperature Testing referred to National Medical Services NMSPA#4180U			

**GENERAL INFORMATION**

Expected TAT 8 days (If Positive: 13 days) from set up

## Notes

ORDER CODE	REFLEX NAME	RESULT CODE	RESULT NAME
4000073	.Rflex Specific Gravity	4000073	Specific Gravity Screen
		1001500	Specific Gravity Urine

CPT Code(s) 84255

Service Provided By

