



## Acyclovir Level Serum/Plasma

Order Name: **Acyclovir S/P**  
Test Number: 6904733  
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Acyclovir Level Serum/Plasma	Liquid Chromatography/Tandem Mass Spectrometry	9416-9

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>1 mL (0.21 mL)</b>	<b>Serum</b>	<b>Clot Activator (Red Top, No-Gel)</b>	<b>Refrigerated</b>
Alternate 1	<b>1 mL (0.21 mL)</b>	<b>Plasma</b>	<b>EDTA (Lavender Top)</b>	<b>Refrigerated</b>
Instructions	<b>Specimen Type:</b> Red-top tube or lavender-top (EDTA) tube <b>Specimen Storage:</b> Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 1 year <b>Specimen Collection:</b> No gel-barrier tubes. Serum or plasma should be separated from cells within two hours of venipuncture. Send serum or plastic in a plastic transport tube. <b>Special Instructions:</b> Testing referred to National Medical Services NMSPA#0158SP <b>Specimen Stability:</b> Ambient: 30 days, Refrigerated : 30 days, Frozen: 4 months			

### GENERAL INFORMATION

Expected TAT	11 - 15 days
Notes	Labcorp Test Code: 202121
CPT Code(s)	80375
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.