

Human Anti-Mouse Antibody (HAMA), ELISA

Order Name: **HAMA**
 Test Number: 6905043
 Revision Date: 12/12/2022

| TEST NAME | METHODOLOGY | LOINC CODE |
|---|--|------------|
| Human Anti-Mouse Antibody (HAMA), ELISA | Quantitative Enzyme-Linked Immunosorbent Assay | 14975-7 |

| SPECIMEN REQUIREMENTS | | | | |
|-----------------------|--|---------------|---|-----------------------|
| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
| Preferred | 1 mL (0.2) | Serum | Clot Activator SST | Refrigerated |
| Alternate 1 | 1 mL (0.2) | Serum | Clot Activator (Red Top, No-Gel) | Refrigerated |
| Instructions | Notes: 0.2 mL (Note: This volume Does NOT allow for repeat testing.) Specimen Type: Red-top tube or gel-barrier tube Specimen Storage: Refrigerated Specimen Collection: If a red-top tube is used, transfer separated serum to a plastic transport tube. Specimen Stability: Ambient: Not Available, Refrigerated : Not Available, Frozen: Not Available | | | |

| GENERAL INFORMATION | |
|---------------------|---|
| Expected TAT | 6 - 10 days |
| Notes | Methodology Enzyme-linked immunosorbent assay (ELISA). The ImmuSTRIP® HAMA ELISA Test System employs a control mouse polyclonal antibody as the capture antibody and a mouse anti-isotypic monoclonal IgG1 to detect HAMA. ^{16,17} The test has been calibrated with baboon anti-mouse IgG serum. Final patient values are reported as nanograms of precipitable antibody present in the sample per mL. Labcorp Test Code: 140657 |
| CPT Code(s) | 83520 |
| Service Provided By |  labcorp Oklahoma, Inc. |