

**Olanzapine serum or plasma**

 Order Name: **OLANZ S/P**

Test Number: 6905093

Revision Date: 12/20/2022

| TEST NAME                  | METHODOLOGY  | LOINC CODE |
|----------------------------|--|------------|
| Olanzapine serum or plasma | Quant Liquid Chromatography-Tandem Mass Spectrometry | 12389-3    |

**SPECIMEN REQUIREMENTS**

|              |   |               |                           |                         |
|--------------|---|---------------|---------------------------|-------------------------|
| Specimen     | Specimen Volume (min)   | Specimen Type | Specimen Container        | Transport Environment   |
| Preferred    | <b>2 mL (0.5 mL)</b>  | <b>Serum</b>  | <b>Clot Activator SST</b> | <b>Room Temperature</b> |
| Instructions | <b>Specimen Type:</b> Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended.<br><b>Specimen Storage:</b> SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.<br><b>Specimen Collection:</b> Serum or plasma should be separated from cells within two hours of venipuncture. Submit serum or plasma in a plastic transport tube.<br><b>Special Instructions:</b> Testing referred to MedTox Laboratories Inc MX#756 |               |                           |                         |

**GENERAL INFORMATION**

|                     |   |
|---------------------|---|
| Expected TAT        | 5-10 days   |
| Clinical Use        | Olanzapine shows slight interference with high levels of hemolysis in the sample. Noroxycodone causes an analytical interference and impacts the quantitation of Olanzapine |
| Notes               | Labcorp Test Code: 811513   |
| CPT Code(s)         | 80299   |
| Service Provided By |  <b>labcorp</b><br>Oklahoma, Inc.  |