

Clobazam Quantitative, Serum or Plasma


Order Name: **Clobazam Quant S/P**
 Test Number: 6906653
 Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Clobazam	Quant Equilibrium Dialysis/HPLC-Tandem Mass Spectrometry	
N-Desmethyloclobazam	Quant Equilibrium Dialysis/HPLC-Tandem Mass Spectrometry	

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	1 mL (0.5 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Refrigerated
Instructions	<p>Specimen Type: Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended.</p> <p>Specimen Storage: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for nine days at room temperature, refrigerated, and frozen.</p> <p>Specimen Collection: Serum or plasma should be separated from cells within two hours of venipuncture. Send serum or plasma in a plastic transport tube.</p> <p>Special Instructions: Testing referred to MedTox Laboratories Inc TC 2837</p>			

GENERAL INFORMATION

Expected TAT	4 - 10 days
Notes	Labcorp Test Code: 790500
CPT Code(s)	80339 (Alt code: G0480)
Service Provided By	 <p>labcorp Oklahoma, Inc.</p>