



## CardioIQ Lp-PLA2 Activity

Order Name: **Lp-PLA2 Act**

Test Number: 6907361

Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
CardioIQ Lp-PLA2 Activity	Spectrophotometric, enzymatic assay	86951-1

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>0.5 mL (0.2 mL)</b>	<b>Plasma</b>	<b>EDTA (Lavender Top)</b>	<b>Refrigerated</b>
Alternate 1	<b>0.5 mL (0.2 mL)</b>	<b>Serum</b>	<b>Clot Activator (Red Top, No-Gel)</b>	<b>Refrigerated</b>
Alternate 2	<b>0.5 mL (0.2 mL)</b>	<b>Serum</b>	<b>Clot Activator SST</b>	<b>Refrigerated</b>
Instructions	<b>Specimen Type:</b> Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube <b>Specimen Storage:</b> Refrigerate, stable for 14 days. Stable at room temperature for 24 hours and frozen up to 18 months. Ship refrigerated on cool packs. <b>Specimen Collection:</b> Separate serum or plasma from cells as soon as possible (within two hours). <b>Specimen Stability:</b> Ambient: Not Available, Refrigerated : Not Available, Frozen: Not Available			

### GENERAL INFORMATION

Expected TAT	2 - 4 days
Notes	Labcorp Test Code: 123283
CPT Code(s)	83698
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.