

**Chlamydia/Gonococcus/Genital Mycoplasma Profile, NAA, Urine**

Order Name: **Ct Ng Myco UR**  
 Test Number: 5195320  
 Revision Date: 09/12/2023

TEST NAME	METHODOLOGY	LOINC CODE
Chlamydia/Gonococcus/Genital Mycoplasma Profile, NAA, Urine	Nucleic acid amplification (NAA)	

**SPECIMEN REQUIREMENTS**

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>30 mL (5 mL)</b>	<b>Urine (See Inst.)</b>	<b>APTIMA Urine Transport Tube</b>	<b>Room Temperature</b>
Instructions	<b>Specimen:</b> First-void urine in Aptima® urine transport <b>Volume:</b> 2 mL of a 20 to 30 mL urine collection <b>Container:</b> Aptima® urine transport <b>Collection:</b> Urine specimen: The patient should not have urinated for at least one hour prior to specimen collection. Direct patient to provide a first-catch urine (approximately 20 to 30 mL of the initial urine stream) into a urine collection cup free of any preservatives. Collection of larger volumes of urine may result in specimen dilution that may reduce test sensitivity; lesser volumes may not adequately rinse organisms into the specimen. Female patients should not cleanse the labial area prior to providing the specimen. Add urine to the Aptima® Combo 2 urine collection device. The final volume must be between the two black lines on the device (about 2 mL). <b>Storage Instructions:</b> Maintain specimen at room temperature or refrigerate (2°C to 30°C). <b>Stability:</b> Room temperature 30 days (stability provided by manufacturer or literature reference)			

**GENERAL INFORMATION**

Expected TAT	3-4 days																			
Notes	<table border="1"> <thead> <tr> <th>RESULT CODE</th> <th>RESULT NAME</th> <th>LOINC</th> </tr> </thead> <tbody> <tr> <td>6907667</td> <td>M genitalia Ur</td> <td>88226-6</td> </tr> <tr> <td>5195379</td> <td>M. hominis Urine</td> <td>68546-1</td> </tr> <tr> <td>5195380</td> <td>Ureaplasma Ur</td> <td>68547-9</td> </tr> <tr> <td>6910151</td> <td>Chlamydia Ur</td> <td>42931-6</td> </tr> <tr> <td>6910155</td> <td>Gonorrhea Ur</td> <td>60256-5</td> </tr> </tbody> </table>		RESULT CODE	RESULT NAME	LOINC	6907667	M genitalia Ur	88226-6	5195379	M. hominis Urine	68546-1	5195380	Ureaplasma Ur	68547-9	6910151	Chlamydia Ur	42931-6	6910155	Gonorrhea Ur	60256-5
RESULT CODE	RESULT NAME	LOINC																		
6907667	M genitalia Ur	88226-6																		
5195379	M. hominis Urine	68546-1																		
5195380	Ureaplasma Ur	68547-9																		
6910151	Chlamydia Ur	42931-6																		
6910155	Gonorrhea Ur	60256-5																		
CPT Code(s)	87491, 87591, 87798x2, 87563																			

Service Provided By

