



## ToxAssure Flex 15, Urine

Order Name: **TA Flex 15 UR**  
Test Number: 5195608  
Revision Date: 01/09/2024

TEST NAME	METHODOLOGY	LOINC CODE
ToxAssure Flex 15, Urine	Immunoassay (IA)	

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>30 mL (15 mL)</b>	<b>Urine, Random</b>	<b>Sterile Urine Container</b> <b>Preservative Free</b>	<b>Room Temperature</b>

Instructions	Specimen: 30mL(15mL) Random Urine Preservative free Urine Transport tube Room Temperature or Refrigerated. Cause for Rejection: Insufficient volume, no ID on container, urine from preservative tube. SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Stability: Room Temperature 14 days, Refrigerated 14 days, Frozen 6 weeks.
--------------	--

### GENERAL INFORMATION

Expected TAT	5-8 days
CPT Code(s)	80348, 80347, 80354, 80307
Service Provided By	 <b>labcorp</b> Oklahoma, Inc.